

Updated S 09/939,991

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7091	(transmit\$6 or send\$4 or resend\$4 or request\$4) same asynchronous\$4 same message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 14:55
L2	2077	outstand\$4 adj request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:12
L3	10	1 same 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:27
L4	589	message near3 bi-direction\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:28
L5	0	message near3 bi-di1 same 4rection\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:28
L6	7	1 same 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:32
L7	64	1 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:36
L8	0	7 and (accumulat\$4 adj message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:39

EAST Search History

L9	0	1 same reliabl\$4 same re-request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:41
L10	0	1 same reliabl\$4 same re-includ\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 16:00
L11	183	(714/18).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 16:09
L12	701	(714/748).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 16:13
L13	222	(714/749).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 16:29
L14	1618	(709/231).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 16:35
L15	300	(370/395.5).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 16:35
S1	200	(714/749.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:28

EAST Search History

S2	646	(714/748.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 13:50
S3	169	(714/18.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:43
S5	61291	(transmit\$6 or send\$4 or resend\$4 or request\$4) same (acknowledg\$6 or ack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 14:53
S6	791712	(Transmission adj Control adj Protocol) or TCP or (Internet adj Protocol) or IP or (Hyper adj Text adj Transfer Protocol) or HTTP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:06
S7	2959	S5 same S6 same (client or server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:04
S8	1276	S5 same S6 same (client and server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:06
S9	1245	S5 same S6 same (client same server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:06
S10	376	S9 same request same message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:07

EAST Search History

S11	5	S10 and (open adj communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:12
S12	15825	(first or second or subsequen\$4)adj request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:21
S13	63	S10 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:31
S14	312	(370/395.52.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:31
S15	26	("5430876" "5499343" "5713017" "57 21908" "5732219" "5778174" "580580 3" "5815665" "5826014" "5850517" "5 935211" "6289461" "6338086").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 14:23
S17	180	726/11.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:02
S18	190	726/14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:23
S19	1690	709/230.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:24

EAST Search History

S20	446	S19 and (@ad<="19980609" or @rlad<="19980609")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:42
S21	2	("6457054").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 14:54
S23	2	("6289461").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 14:52
S24	4	((("5732219") or ("5721908")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 14:35
S27	85	dixon-michael\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:00
S28	61344	(transmit\$6 or send\$4 or resend\$4 or request\$4) same (acknowledg\$6 or ack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:00
S29	15843	(first or second or subsequen\$4)adj request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:00
S30	27	S28 and (714/4.ccls.) and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:01



Welcome United States Patent and Trademark Office

Search Session History

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Mon, 8 May 2006, 4:42:48 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display



Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 ((request<in>metadata) <and>
(asynchronously<in>metadata))<and>
(outstanding<in>metadata)
- #2 ((transmitting<in>metadata) <and>
(asynchronously<in>metadata))<and>
(outstanding<in>metadata)
- #3 ((receive<in>metadata) <and>
(asynchronous<in>metadata))<and>
(outstanding<in>metadata)
- #4 ((bi-directional<in>metadata) <and> (protocol<in>metadata))
<and> (message<in>metadata)
- #5 ((bi-directional<in>metadata) <and> (protocol<in>metadata))
<and> (message<in>metadata)
- #6 ((bi-directional<in>metadata) <and> (protocol<in>metadata))
<and> (message<in>metadata)
- #7 ((bi-directional<in>metadata) <and> (protocol<in>metadata))
<and> (message<in>metadata)
- #8 ((bi-directional<in>metadata) <and> (protocol<in>metadata))
<and> (message<in>metadata)
- #9 ((bi-directional<in>metadata) <and> (protocol<in>metadata))
<and> (message<in>metadata)
- #10 ((bi-directional<in>metadata) <and> (protocol<in>metadata))
<and> (message<in>metadata)
- #11 ((bi-directional<in>metadata) <and> (protocol<in>metadata))
<and> (message<in>metadata)



Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE –